JECTOR°

SAFETY DATA SHEET

1. Identification

Product identifier VECTOR® 2336A and 2411A Styrenic Block Copolymers

Other means of identification

Synonyms VECTOR® is a registered trademark of TSRC Corporation

Recommended use Industrial conversion as a raw material for manufacture of articles or goods.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer TSRC Specialty Materials LLC

23027 Elkana Deane Ln Katy, TX 77449, U.S.A.

Telephone +1-281-754-5800

Toll Free +1-877-251-0580 (US only)
E-mail sdsquestions@tsrc-global.com

Contact person Product Steward

Emergency telephone 1-866-519-4752 (US, Canada, Mexico only)

1-760-476-3962 (Americas)

Access code 333558

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information The material may form dust and can accumulate electrostatic charges, which may cause an

electrical spark (ignition source).

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Butadiene-styrene Rubber	9003-55-8	> 95
Talc (non-asbestiform)	14807-96-6	<= 1

Composition comments All concentrations are in percent by weight.

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

trade sec

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

VECTOR® 2336A and 2411A Styrenic Block Copolymers

942590 Version #: 03 Revision date: 18-March-2021 Issue date: 08-February-2018

1 / 6

Flush skin with large amounts of water. For contact with hot material, immediately immerse Skin contact

Irritation of eyes and mucous membranes. Irritation of nose and throat.

affected area of skin in large amounts of cold water to dissipate heat and reduce the extent of

thermal burns. Do not peel polymer from the skin.

Eye contact

Flush eyes with water as a precaution. Get medical attention if irritation develops or persists.

Ingestion

Have victim rinse mouth thoroughly with water.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special Treat symptomatically.

treatment needed

General information First aid personnel must be aware of own risk during rescue.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

None.

Specific hazards arising from

the chemical Special protective equipment Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic

compounds whose composition have not been characterized.

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire fighting

equipment/instructions

Move containers from fire area if you can do it without risk. Cool containers with flooding quantities

of water until well after fire is out.

The product is not flammable. Will burn if involved in a fire. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation of fumes from molten product. Surfaces may become slippery after spillage. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS.

Methods and materials for containment and cleaning up

Scrape up with shovels into a suitable container for recycle or disposal. For waste disposal, see

Section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of dust and contact with skin and eyes. Avoid contact with hot material. The product may form dust and can accumulate electrostatic charges, which may cause an electrical spark (ignition source). Use proper grounding procedures. Observe good industrial hygiene

Conditions for safe storage, including any incompatibilities Store in a cool, dry, well-ventilated place. Keep away from incompatible materials, open flames and high temperatures. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	
Talc (non-asbestiform)	TWA	20 mppcf	
(CAS 14807-96-6)			

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Talc (non-asbestiform)	TWA	2 mg/m3	Respirable fraction.
(CAS 14807-96-6)			

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Talc (non-asbestiform) (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.

No biological exposure limits noted for the ingredient(s). **Biological limit values** VECTOR® 2336A and 2411A Styrenic Block Copolymers

Exposure quidelines Follow above occupational exposure limit values for dusts.

Appropriate engineering

controls

Observe occupational exposure limits and minimize the risk of inhalation of dust and fumes. Use

explosion-proof equipment if high dust/air concentrations are possible.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact with material may occur, safety glasses and face shield are recommended.

Skin protection

Hand protection When material is heated, wear gloves to protect against thermal burns.Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment

with particle filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Pellets.

Color White to off-white.

Odor Odorless to mild.

Odor threshold Not available.

PH Not applicable.

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable.

range

Flash point

Evaporation rate

Not applicable.

Not applicable.

Combustible.

Upper/lower flammability or explosive limits

Flammability limit - lower 1.3 (for residual solvent)

(%)

Flammability limit - upper

(%)

8.0 (for residual solvent)

Vapor pressureNot applicable.Vapor densityNot applicable.

Relative density < 1

Solubility(ies)

Solubility (water) (< 0.1%) Insoluble in water.

Partition coefficient Not applicable.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot applicable.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Temperatures above 250 °C. Contact with incompatible materials.

VECTOR® 2336A and 2411A Styrenic Block Copolymers

942590 Version #: 03 Revision date: 18-March-2021 Issue date: 08-February-2018 3 / 6

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system.

Skin contact Molten material will produce thermal burns.

Eye contact Dust may irritate the eyes.

May cause discomfort if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes and mucous membranes. Irritation of nose and throat.

Information on toxicological effects

Dusts may irritate the respiratory tract, skin and eyes. **Acute toxicity** Skin corrosion/irritation Contact with molten material may cause thermal burns. Serious eye damage/eye

irritation

May cause irritation through mechanical abrasion.

Respiratory or skin sensitization

Not classified. Respiratory sensitization Skin sensitization Not classified.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not classified. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Talc (non-asbestiform) (CAS 14807-96-6) 3 Not classifiable as to carcinogenicity to humans.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Not classified. Reproductive toxicity Specific target organ toxicity -No data available.

single exposure

Specific target organ toxicity -

repeated exposure

No data available.

Due to the physical form of the product it is not an aspiration hazard. **Aspiration hazard Chronic effects** Talc may have effects on the lungs, resulting in talc pneumoconiosis.

Further information No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data available.

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Mobility in soil The product is not mobile in soil.

Mobility in general The product is insoluble in water and will spread on water surfaces.

Not known. Other adverse effects

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose of in accordance with local regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company and/or appropriate testing.

VECTOR® 2336A and 2411A Styrenic Block Copolymers 4/6 942590 Version #: 03 Revision date: 18-March-2021 Issue date: 08-February-2018

Waste from residues / unused

products

Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Talc (non-asbestiform) (CAS 14807-96-6)

US. New Jersey Worker and Community Right-to-Know Act

Talc (non-asbestiform) (CAS 14807-96-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Talc (non-asbestiform) (CAS 14807-96-6)

US. Rhode Island RTK

Talc (non-asbestiform) (CAS 14807-96-6)

California Proposition 65



WARNING: This product can expose you to Talc (non-asbestiform), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Talc (non-asbestiform) (CAS 14807-96-6) Listed: April 1, 1990

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Talc (non-asbestiform) (CAS 14807-96-6)

16. Other information, including date of preparation or last revision

08-February-2018 Issue date 18-March-2021 **Revision date**

Version # 0.3

Further information HMIS® is a registered trade and service mark of the ACA.

HMIS® ratings

Flammability: 1 Physical hazard: 1

NFPA ratings



List of abbreviations TWA: Time Weighted Average.

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices References

EPA: AQUIRE database

IARC Monographs. Overall Evaluation of Carcinogenicity

HSDB® - Hazardous Substances Data Bank

National Toxicology Program (NTP) Report on Carcinogens

NLM: Hazardous Substances Data Base

Disclaimer Limited warranty

There are no warranties which extend beyond the product description herein, and seller makes no warranty, express or implied, of fitness for particular use, merchantability or otherwise with respect to product, whether used singly or in combination with other substances or in any process, except that product sold hereunder shall conform to seller's standard sales specifications as of the date of the shipment. Without limiting the foregoing, seller does not recommend or endorse the use of product(s) in any medical application and specifically disclaims any representation or warranty. express or implied, of suitability or fitness for use or otherwise, with respect to product(s)' use in any medical application. Buyer represents and warrants that no product(s) purchased hereunder will be used in or resold into any commercial or developmental manner in connection with medical applications without seller's prior express written acknowledgement, further, buyer agrees that it will make no representations, express or implied, to any person to the effect that seller recommends or endorses the use of product(s) purchased hereunder in any medical application.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

SDS US 6/6 942590 Version #: 03 Revision date: 18-March-2021 Issue date: 08-February-2018